


Feb.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Fig.2(1:1)



A-A






Fig.1(2:1)



- NOTES
- 1 PLATING (REF. NO. 0, 0, 0)
 - CONTACT AREA : GOLD 0.2μm min
 - OTHERS : GOLD AND NICKEL
 - UNDER PLATING : NICKEL 2μm min
 - 2 THE RECOMMENDED CLAMP TORQUE OF REF. NO. 0 TO BE 1.5 TO 2N·m.
 THREAD LOCKER TO THE THREADED PORTION OF REF. NO. 0 IS RECOMMENDED TO PREVENT REF. NO. 0 FROM LOOSING.
 RECOMMENDED THREAD LOCKER: LOCTITE 271, HENKEL JAPAN LTD.
 - 3 THE RECOMMENDED CLAMP TORQUE OF REF. NO. 0 TO BE 1 TO 1.5N·m.
 THREAD LOCKER AND LOCK PRIMER TO THE THREADED PORTION M14.5X0.75 OF REF. NO. 0 IS RECOMMENDED TO PREVENT REF. NO. 0 FROM LOOSING.
 RECOMMENDED THREAD LOCKER AND LOCK PRIMER : LOCTITE 271, LOCK PRIMER 7649, HENKEL JAPAN LTD.
 - 4 FASTEN REF. NO. 0 TO THE CABLE WITH THE CABLE CRIMPING TOOL.
 AND MAKE REF. NO. 0 CONTACT WITH REF. NO. 0 (REFER TO Fig.1).
 REFER TO THE TECHNICAL SPECIFICATION ATAD-C0099 FOR DETAILS.
 APPLICABLE CABLE CRIMPING TOOL : LF-TC-01 (CL150-0234-6)
 - 5 APPLICABLE CABLE ASSEMBLY FIXTURE : LF13BJ-T01 (CL150-0238-7)
 CABLE ASSEMBLY FIXTURE IS USED AS A RECEPTACLE STAND OF EXTRACT AND THE PART NUMBER 0 OF AN ASSEMBLY.
 - 6 Fig.2 SHOWS THE APPEARANCE AFTER ASSEMBLY.
 - 7 ROTATION EXAMPLES OF REF. NOS. 0 AND 0 TO 0 ARE SHOWN.

NO.	MATERIAL	FINISH	REMARKS	NO.	MATERIAL	FINISH	REMARKS
7	ZINC ALLOY	NICKEL PLATING					
6	PHOSPHOR BRONZE	NICKEL PLATING		13	BRASS	NICKEL PLATING	
5	COPPER ALLOY	1		12	PPS	(NATURAL·BROWN)	UL94V-0
4	COPPER ALLOY	1		11	POLYAMIDE	(NATURAL·MILKY WHITE)	UL94V-0
3	COPPER ALLOY	1		10	CHLOROPRENE RUBBER	(BLACK)	
2	PPS	(BLACK)	UL94V-0	9	PHOSPHOR BRONZE	NICKEL PLATING	
1	ZINC ALLOY	NICKEL PLATING		8	CHLOROPRENE RUBBER	(BLACK)	

UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	4 : 1	1	DIS-C-000768	DS. MATSUNE	YH. YAMADA	08.01.08

APPROVED	CHECKED	DESIGNED	DRAWN	DRAWING NO.	PART NO.	CODE NO.
MR. YOSHIDA	MO. SATOH	YH. YAMADA	YH. YAMADA	EDC3-114404-00	LF13WBJ-11P	CL136-2011-6-00